



POOL/SPA DAILY CHEMICAL TEST LOG

Month/Day	Time	Weather (sunny, cloudy, raining, etc.)	Free/Total Chlor. (ppm)	ORP (mv)	pH	Total Alkalinity (ppm)	Calcium Hardness (ppm)	CYA	Water Temp (F)	Flow from Flowmeter (gpm)	Filter Pressure Differential or Gauge (psi)	Condition of Water (Clear, Cloudy, etc.)	Bather Load (ppl in pool)	Additional Comments/Other (see notes below)
04/01	11:15 AM	Sunny	1.0 / 1.2	725	7.4	90	310	30	84	62	12	Clear	3	EXAMPLE RECORD - WA, B-60

POOL/SPA NAME/LOCATION: _____ YEAR: _____ VOLUME: _____

FLOW RATE/TURNOVER: _____ GPM/ _____

ADDITIONAL COMMENTS/Other – Possible comments include CA (Chemicals Added), AM (Adjustments Made), FB (Filter Backwashed), WA (Water Added) or indicate test performed with T (TDS), C (Copper), B (Borates), I (Iron), N (Nitrates), S (Sulfates), P (Phosphates), SI (Saturation Index)

BLUE WAVE POOL SERVICE & SUPPLIES -- PHONE: (203) 248-0429 -- FAX: (203) 288-7070
 E-MAIL: mail@bluewavepoolspace.com -- WEBSITE: bluewavepoolspace.com